



What is it good for?

(1) Cutting necks:

$$2 \begin{array}{c} \text{Diagram} \\ \text{with a red circle} \end{array} = \text{Diagram } E \quad (+) \quad \text{Diagram } F$$

(2) Recovers the good old Khovanov theory,

$$\begin{aligned} \mathcal{F}(\text{Diagram}) &= \epsilon : \begin{cases} 1 \mapsto v_+ \\ \dots \end{cases} & \mathcal{F}(\text{Diagram}) &= \eta : \begin{cases} v_+ \mapsto 0 \\ v_- \mapsto 1 \\ \dots \end{cases} \\ \mathcal{F}(\text{Diagram}) &= \Delta : \begin{cases} v_+ \mapsto v_+ \otimes v_- + v_- \otimes v_+ \\ v_- \mapsto v_- \otimes v_- \end{cases} & \mathcal{F}(\text{Diagram}) &= m : \begin{cases} v_+ \otimes v_- \mapsto v_- & v_+ \otimes v_+ \mapsto v_+ \\ v_- \otimes v_+ \mapsto v_- & v_- \otimes v_- \mapsto 0. \end{cases} \end{aligned}$$

(3) Trivially extends to tangles.

(4) Well suited to prove invariance for cobordisms.

(5) Recovers Lee’s theory,

$$\Delta : \begin{cases} v_+ \mapsto v_+ \otimes v_- + v_- \otimes v_+ \\ v_- \mapsto v_- \otimes v_- + v_+ \otimes v_+ \end{cases} \quad m : \begin{cases} v_+ \otimes v_- \mapsto v_- & v_+ \otimes v_+ \mapsto v_+ \\ v_- \otimes v_+ \mapsto v_- & v_- \otimes v_- \mapsto v_+ \end{cases}$$

(6) Leads to a new theory (over $\mathbb{Z}/2$ and with $\deg h = -2$),

$$\Delta : \begin{cases} v_+ \mapsto v_+ \otimes v_- + v_- \otimes v_+ + hv_+ \otimes v_+ \\ v_- \mapsto v_- \otimes v_- \end{cases} \quad m : \begin{cases} v_+ \otimes v_- \mapsto v_- & v_+ \otimes v_+ \mapsto v_+ \\ v_- \otimes v_+ \mapsto v_- & v_- \otimes v_- \mapsto hv_-. \end{cases}$$

(7) Trivially extends to knots on surfaces.

(8) Non-trivially recovers Khovanov’s c ,

$$\begin{aligned} \epsilon &: \begin{cases} 1 \mapsto v_+ \\ \dots \end{cases} & \eta &: \begin{cases} v_+ \mapsto 0 \\ v_- \mapsto -c \\ \dots \end{cases} \\ \Delta &: \begin{cases} v_+ \mapsto v_+ \otimes v_- + v_- \otimes v_+ + cv_- \otimes v_- \\ v_- \mapsto v_- \otimes v_- \end{cases} & m &: \begin{cases} v_+ \otimes v_- \mapsto v_- & v_+ \otimes v_+ \mapsto v_+ \\ v_- \otimes v_+ \mapsto v_- & v_- \otimes v_- \mapsto 0. \end{cases} \end{aligned}$$

(Added June 29, 2004: what appeared to work didn’t quite. The recovery of Khovanov’s c remains open).

“God created the knots, all else in topology is the work of man.”

Leopold Kronecker (modified)

URL: <http://www.math.toronto.edu/~drorbn/papers/Cobordism> (and see the ‘‘GWU’’ handout)

Date: May 30, 2004.